

**On the variation  
of the  
energy scale 25**

**SPARC catalogue  
rotation curves:  
UGC galaxies**

Fri 19th Jul 2024  
(Previously: Wed 30th Jan 2019)  
[www.varensca.com](http://www.varensca.com)

## Summary

This paper presents plots of the rotation curves for 73 UGC galaxies taken from the SPARC catalogue (Lelli et al, 2016). These are in addition to the 64 galaxies covered in paper JoKe23 (2019). The fitted rotation curves are based on the ideas and analysis presented in JoKe22 (2019).

# 1 Table SPARC galaxies

## 1.1 Table of SPARC galaxies included here.

<b>Mass</b>	mass of galaxy in solar masses
<b>xi slope</b>	slope of $\xi$ -function in bottom left panels
<b>M-to-L</b>	mass-to-light ratio
<b>DM</b>	dark matter ratio

Galaxy	Mass	xi slope	M-to-L	DM
UGC00128	4.16E+10	-0.96	1.85	3.7
UGC00191+	5.36E+09	-1.07	1.15	2.0
UGC00634+	9.60E+09	-1.38	1.22	4.0
UGC00731-	7.13E+09	-0.80	9.30	0.9
UGC00891+	1.13E+09	-1.78	0.79	5.2
UGC01230-	3.12E+10	-0.80	2.00	1.9
UGC01281+	8.72E+08	-2.00	1.00	3.3
UGC02023+	7.10E+08	-2.13	0.32	3.3
UGC02259-	6.39E+09	-0.72	2.41	1.4
UGC02487+	3.63E+11	-0.71	0.62	4.7
UGC02885+	2.99E+11	-0.92	0.37	4.1
UGC02916-	2.19E+11	-0.04	2.00	0.3
UGC02953+	1.35E+11	-0.67	0.45	7.0
UGC03205-	5.85E+10	-0.78	0.22	6.7
UGC03546+	3.06E+10	-0.76	0.20	7.3
UGC03580+	1.04E+10	-1.14	0.20	8.3
UGC04278-	4.03E+09	-1.13	0.95	2.3
UGC04325-	6.49E+09	-0.70	2.00	0.7
UGC04499+	3.28E+09	-1.30	0.62	2.2
UGC05005+	1.33E+10	-1.43	0.72	3.9
UGC05253-	7.76E+10	-0.72	0.24	6.6
UGC05414+	1.25E+09	-1.46	0.65	1.9
UGC05716+	3.18E+09	-1.19	1.55	4.0
UGC05721-	1.55E+09	-1.02	1.11	5.4
UGC05750+	1.20E+10	-1.11	1.27	1.8
UGC05764-	8.94E+08	-1.21	5.42	1.3
UGC05829+	3.40E+09	-1.19	2.24	1.2
UGC05918	1.36E+09	-0.63	3.70	0.5
UGC05986+	6.74E+09	-1.06	0.95	2.7
UGC05999+	1.20E+10	-1.49	0.87	2.1
UGC06399+	4.84E+09	-1.24	1.20	1.9
UGC06446+	4.61E+09	-1.01	1.81	2.3
UGC06614-	8.31E+10	-1.01	0.20	6.5





<b>Galaxy</b>	<b>Mass</b>	<b>xi slope</b>	<b>M-to-L</b>	<b>DM</b>
UGC06628-	3.20E+09	-0.03	0.63	0.0
UGC06667-	9.51E+09	-1.30	8.00	0.4
UGC06786+	3.42E+10	-0.89	0.33	9.3
UGC06787+	3.50E+10	-0.99	0.21	15.1
UGC06818+	1.14E+09	-2.06	0.22	6.9
UGC06917+	9.13E+09	-1.20	0.66	2.3
UGC06923+	2.14E+09	-1.46	0.31	2.7
UGC06930+	1.52E+10	-0.97	0.81	2.0
UGC06983+	1.07E+10	-1.04	0.83	3.0
UGC07089+	4.00E+09	-1.33	0.57	2.3
UGC07125+	8.02E+09	-0.93	0.63	1.3
UGC07151+	3.45E+09	-0.94	0.83	1.2
UGC07261+	3.48E+09	-0.86	1.10	1.6
UGC07323+	3.77E+09	-1.40	0.53	1.6
UGC07399+	2.83E+09	-1.29	1.38	4.7
UGC07524-	6.47E+09	-1.22	1.00	1.6
UGC07559+	2.31E+08	-1.54	0.51	1.6
UGC07577+	5.15E+07	-1.40	0.34	1.4
UGC07603+	5.95E+08	-1.38	0.75	5.6
UGC07608-	1.23E+09	-1.80	2.00	3.3
UGC07690-	1.04E+09	-0.78	0.60	1.9
UGC07866+	2.47E+08	-1.15	0.94	1.4
UGC08266+	3.94E+09	-0.96	1.88	2.4
UGC08490+	2.34E+09	-0.94	1.10	5.1
UGC08550+	9.99E+08	-1.12	1.30	3.1
UGC08699-	2.02E+10	-0.80	0.21	8.9
UGC08837+	8.46E+08	-1.82	0.51	1.7
UGC09037+	4.53E+10	-1.00	0.24	2.3
UGC09133+	1.43E+11	-0.70	0.21	8.3
UGC09992+	6.66E+08	-0.49	0.88	0.6
UGC10310+	5.27E+09	-0.77	1.57	0.8
UGC11455+	2.11E+11	-0.76	0.41	2.3
UGC11557-	6.42E+09	-1.18	0.24	1.7
UGC11820+	6.15E+09	-1.28	1.45	3.3
UGC11914-	4.16E+10	-0.77	0.20	4.1
UGC12506-	3.08E+11	-0.48	1.45	0.9
UGC12632+	5.81E+09	-0.96	1.90	1.3
UGC12732+	9.44E+09	-1.19	1.45	2.6
UGCA442+	8.23E+08	-1.74	2.00	4.7
UGCA444	1.93E+08	-1.48	3.85	3.6

## 2 Plots of SPARC galaxies

- 2.1 The following pages show the results of applying the analysis of JoKe22 (2019) to the UGC galaxies presented in the SPARC catalogue (Lelli et al, 2016).
- 2.2 The top left panels shows the SPARC data. The black diamonds are the observations of the rotation curve. The purple curve is the contribution to the velocity from the central bulge (if one exists); the orange curve from the disk of stars; the green curve from the gas. The blue curve is the expected velocity given by aggregating the components using equation (8).
- 2.3 The top right panel shows the cumulative mass distribution corresponding to the velocities in the top left panel. The values are found by solving the numerical form of equation (5). The black diamonds give the observed total mass corresponding to the black diamonds in the top left panel. The blue line gives the normal matter mass corresponding to the blue line in the top left panel. This diagram shows whether the observed or expected masses are levelling off or are still increasing at the outer edge of the galaxy. The observed mass usually shows a continuing increase; the expected mass usually shows convergence. If the observed mass is interpreted as the expected mass plus the dark matter mass then we can define the dark matter ratio as

$$\text{Ratio(dark matter)} = \frac{\mathbf{M}(\text{dark matter})}{\mathbf{M}(\text{observed})} = \frac{\mathbf{M}(\text{observed}) - \mathbf{M}(\text{expected})}{\mathbf{M}(\text{observed})} \quad (11)$$

- 2.4 The bottom left panel shows, in logarithmic form, the  $\xi$ -function as a function of distance, as derived by solving equation (4). In practice  $\xi(r)$  is found by solving equations (9) and (10). The black diamonds correspond to the observed velocities shown in the top left panel. All galaxies show an approximate linear relation. The red line is a straight line that approximates to the observed data. It turns out that it is only the slope of the red line that is important and not its position.
- 2.5 The bottom right panel shows the rotation curve again. The black diamonds are the same observed velocities as in the top left panel. Similarly the blue line is the same expected velocities as in the top left panel. The red line is the fitted rotation curve derived by applying the red line from the bottom left panel for  $\xi(x)$  to the blue line from the top right panel for the mass  $dM(x)$ . The fitted velocity is calculated by applying the  $\xi(x)$  and  $dM(x)$  to equation (4).

**UGC 128**

Top left: rotation curve from SPARC data





Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	1.85
$\xi$ , slope	-0.96
DM factor	3.7
Fit quality	good

**UGC 191**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	1.15
$\xi$ , slope	-1.07
DM factor	2.0
Fit quality	OK

Comments:

**UGC 634**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	1.22
$\xi$ , slope	-1.38
DM factor	4.0
Fit quality	OK

Comments:

Only 4 data points

**UGC 731**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	9.30
$\xi$ , slope	-0.80
DM factor	0.9
Fit quality	Ouch!

Comments:

M-to-L ratio has to be the unphysically high value of 9.30! This suggests that the data for the stellar disk is wrong by a factor of 10.

**UGC 891**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.79
$\xi$ , slope	-1.78
DM factor	5.2
Fit quality	OK

Comments:

Only 5 data points. Galaxy is gas dominated in the outer regions.

**UGC 1230**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

$Y, \text{M-to-L}$	2.00
$\xi, \text{slope}$	-0.80
DM factor	1.9
Fit quality	poor

Comments:

Manual fit. Requires a high M-to-L ratio.

### UGC 1281



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	1.00
$\xi, \text{slope}$	-2.00
DM factor	3.3
Fit quality	OK

Comments:

Manual fit. Fit ignores innermost 2 points (not shown) and outermost 5 points where  $\xi$ -function begins to converge.

**UGC 2023**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.32
$\xi$ , slope	-2.13
DM factor	3.3
Fit quality	OK

Comments:

Only 5 data points. Mass still increasing due to gas.

**UGC 2259**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

Y, M-to-L	2.41
$\xi$ , slope	-0.72
DM factor	1.4
Fit quality	poor

Comments:

Very high M-to-L ratio, 2.41.

### UGC 2487



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.65
Disk, M-to-L	0.62
$\xi$ , slope	-0.71
DM factor	4.7
Fit quality	OK

Comments:

Galaxy has a bulge. 44% of mass inside 1st data point. Mass converged by 30kpc.

**UGC 2885**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

Bulge, M-to-L	0.46	0.44
Y, M-to-L	0.20	0.37
$\xi$ , slope	-0.89	-0.92
DM factor	5.6	4.1
Fit quality	poor	OK

Comments:

Galaxy has a bulge.

"OK" fit (shown): Ignore innermost 2 points, <6kpc.





**UGC 2916**

Fit parameters

Bulge, M-to-L	0.65
Disk, M-to-L	2.00
$\xi$ , slope	-0.04
DM factor	0.3
Fit quality	poor

Comments:

High disk M-to-L ratio, 2.00. Fit OK up to 15kpc; bad in outer regions.

**UGC 2953**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters





Bulge, M-to-L	0.41	0.26
Disk, M-to-L	0.36	0.45
$\xi$ , slope	-0.71	-0.67
DM factor	8.4	7.0
Fit quality	poor	OK

Comments:

Galaxy has a bulge. Mass converges by 14kpc.

"OK" fit (shown): ignore innermost points, <1kpc, and ignore outer 6 points, >52kpc. Low bulge M-to-L ratio, 0.26.

### UGC 3205



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters


Bulge, M-to-L	0.65	0.91
Disk, M-to-L	0.40	0.22
$\xi$ , slope	-0.75	-0.78
DM factor	5.2	6.7
Fit quality	more poor	less poor

Comments:

Galaxy has a bulge. Galaxy mass converged by 25kpc.

"less poor" fit (shown) ignore innermost 5 data points, <3kpc.

### UGC 3546



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.18	0.29
Disk, M-to-L	0.20	0.20
$\xi$ , slope	-0.72	-0.76
DM factor	8.2	7.3
Fit quality	poor	OK


Comments:

Galaxy has a bulge. Mass converged by 17kpc.

"poor" fit (shown above): Very low bulge M-to-L ratio, and very low disk M-to-L ratio.

"OK" fit (not shown): Acceptable fit; still a depression from 3kpc to 10kpc.

### UGC 3580



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.15
Disk, M-to-L	0.20
$\xi$ , slope	-1.14
DM factor	8.3
Fit quality	OK

Comments:

Galaxy has a bulge. Inner 8 data points ignored (<1.0kpc) to get an acceptable fit. Very low M-to-L ratios for bulge and disk.

**UGC 4278**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	0.95
$\xi$ , slope	-1.13
DM factor	2.3
Fit quality	problematic

Comments:

Fit made using only the inner half of the data points, <3.5kpc. The rise in the curve caused by the gas is clearly problematic.

**UGC 4325**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	2.00
$\xi, \text{slope}$	-0.70
DM factor	0.7
Fit quality	poor

Comments:

**UGC 4499**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.62
$\xi$ , slope	-1.30
DM factor	2.2
Fit quality	OK

Comments:

**UGC 5005**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.72
$\xi$ , slope	-1.43
DM factor	3.9
Fit quality	good

Comments:

**UGC 5253**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.33
Disk, M-to-L	0.24
$\xi$ , slope	-0.72
DM factor	6.6
Fit quality	poor

Comments

Galaxy has a bulge.

**UGC 5414**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

Y, M-to-L	0.65
$\xi$ , slope	-1.46
DM factor	1.9
Fit quality	good

Comments

Only 6 data points. Mass has not converged.

### UGC 5716



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

$Y, \text{M-to-L}$	1.55
$\xi, \text{slope}$	-1.19
DM factor	4.0
Fit quality	good

Comments

High M-to-L ratio, 1.55.

### UGC 5721



Top left: rotation curve from SPARC data

Top right: cumulative mass


Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	1.11
$\xi$ , slope	-1.02
DM factor	5.4
Fit quality	poor

### UGC 5750



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

$\Upsilon$ , M-to-L	1.27
$\xi$ , slope	-1.11
DM factor	1.8
Fit quality	OK, just

Comments

Fit made after ignoring first 2 data point, <2.5kpc.

### UGC 5764



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	5.42
$\xi, \text{slope}$	-1.21
DM factor	1.3
Fit quality	bad

Comments

Bad fit. Fit only possible by omitting 1st (not shown) and outer 2 data points. Unphysically(?) high M-to-L ratio, 5.42.

**UGC 5829**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

Y, M-to-L	2.24
$\xi$ , slope	-1.19
DM factor	1.2
Fit quality	good

Comments

High M-to-L ratio, 2.24.

### UGC 5918



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	2.50	3.00	3.70
$\xi$ , slope	-1.10	-0.90	-0.63
DM factor	1.1	0.8	0.5
Fit quality	OK	better	best

Comments

We can get acceptable fits by varying the M-to-L ratio against the  $\xi$ -slope. Shown is the "better" fit, with  $\xi$ -slope -0.90. Very high M-to-L ratio, 3.00.

**UGC 5986**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

$Y, M\text{-to-L}$	0.95
$\xi, \text{slope}$	-1.06
DM factor	2.7
Fit quality	OK

Comments

Fit ignores 1st data point. We could obtain a better fit by ignoring outer 2 data points where  $\xi$ -function is levelling off. Mass has converged by 6kpc.

### UGC 5999



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	0.87
$\xi$ , slope	-1.49
DM factor	2.1
Fit quality	OK, just

Comments

Only 5 data points.

**UGC 6399**

Top left: rotation curve from SPARC data





Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	1.20
$\xi$ , slope	-1.24
DM factor	1.9
Fit quality	good

**UGC 6446**

Top left: rotation curve from SPARC data

Top right: cumulative mass


Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	1.81
$\xi$ , slope	-1.01
DM factor	2.3
Fit quality	good

### UGC 6614



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.22
Disk, M-to-L	0.20
$\xi$ , slope	-1.01
DM factor	6.5
Fit quality	poor

Comments

Galaxy has a bulge. Low values for both M-to-L ratios.

**UGC 6628**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve





Fit parameters

Y, M-to-L	0.63
$\xi$ , slope	-0.03
DM factor	0.0
Fit quality	bad

Comments

No acceptable fit possible. Original data has large error bars. So should probably exclude anyway.

### UGC 6667



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve


Fit parameters

Y, M-to-L	4.00	6.00	8.00
$\xi$ , slope	-2.00	-1.70	-1.30
DM factor	1.5	0.8	0.4
Fit quality	poor	better	best bad

Comments

Fits ignore outermost 3 points. Fits only possible with unphysically high M-to-L ratios. No acceptable fit possible. Plots are for "-1.30" filt.

### UGC 6786



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.40
Disk, M-to-L	0.33
$\xi$ , slope	-0.89
DM factor	9.3
Fit quality	good

Comments

Galaxy has a bulge. Mass has converged by 23kpc.

**UGC 6787**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.28
Disk, M-to-L	0.21
$\xi$ , slope	-0.99
DM factor	15.1
Fit quality	bumpy

Comments

Galaxy has a bulge. Fit only works by omitting points inside 2.2kpc. Fit does not match depression around 16kpc.

**UGC 6818**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.22
$\xi$ , slope	-2.06
DM factor	6.9
Fit quality	OK

Comments

**UGC 6917**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.66
$\xi$ , slope	-1.20
DM factor	2.3
Fit quality	OK

Comments

**UGC 6923**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.31
$\xi$ , slope	-1.46
DM factor	2.7
Fit quality	OK

Comments

**UGC 6930**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.81
$\xi$ , slope	-0.97
DM factor	2.0
Fit quality	OK

Comments

**UGC 6983**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	0.83
$\xi, \text{slope}$	-1.04
DM factor	3.0
Fit quality	OK

Comments

**UGC 7089**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.57
$\xi$ , slope	-1.33
DM factor	2.3
Fit quality	good

Comments

**UGC 7125**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.63
$\xi$ , slope	-0.93
DM factor	1.3
Fit quality	OK bumpy

Comments

**UGC 7151**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	0.83
$\xi$ , slope	-0.94
DM factor	1.2
Fit quality	good

Comments

**UGC 7261**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	1.10
$\xi, \text{slope}$	-0.86
DM factor	1.6
Fit quality	good

Comments

**UGC 7323**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$\Upsilon, \text{M-to-L}$	0.53
$\xi, \text{slope}$	-1.40
DM factor	1.6
Fit quality	good

Comments

### UGC 7399



Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	1.38
$\xi$ , slope	-1.29
DM factor	4.7
Fit quality	good

Comments

**UGC 7524**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve


Fit parameters

Y, M-to-L	1.00
$\xi$ , slope	-1.22
DM factor	1.6
Fit quality	poor

Comments

Manual fit, because of bump in curve from 3kpc to 8kpc.

### UGC 7559



Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.51
$\xi$ , slope	-1.54
DM factor	1.6
Fit quality	OK

Comments

**UGC 7577**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon, \text{M-to-L}$	0.34
$\xi, \text{slope}$	-1.40
DM factor	1.4
Fit quality	OK

Comments

**UGC 7603**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.75
$\xi$ , slope	-1.38
DM factor	5.6
Fit quality	OK

Comments

### UGC 7608



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	2.00
$\xi$ , slope	-1.80
DM factor	3.3
Fit quality	poor

Comments

Fit poorly defined - can trade off M-to-L against  $\xi$ -slope.

**UGC 7690**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.60
$\xi$ , slope	-0.78
DM factor	1.9
Fit quality	poor

Comments

**UGC 7866**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.94
$\xi$ , slope	-1.15
DM factor	1.4
Fit quality	good

Comments

**UGC 8286**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	1.88
$\xi, \text{slope}$	-0.96
DM factor	2.4
Fit quality	OK

Comments

**UGC 8490**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	1.10
$\xi$ , slope	-0.94
DM factor	5.1
Fit quality	good

Comments

**UGC 8550**

Top left: rotation curve from SPARC data

Top right: cumulative mass


Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	1.30
$\xi$ , slope	-1.12
DM factor	3.1
Fit quality	good

Comments

**UGC 8699**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.32
Disk, M-to-L	0.21
$\xi$ , slope	-0.80
DM factor	8.9
Fit quality	poor

Comments

**UGC 8837**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.51
$\xi$ , slope	-1.82
DM factor	1.7
Fit quality	OK

Comments

Fit ignores innermost 2 data points.

**UGC 9037**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	0.24
$\xi, \text{slope}$	-1.00
DM factor	2.3
Fit quality	OK

Comments

**UGC 9133**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.41
Disk, M-to-L	0.21
$\xi$ , slope	-0.70
DM factor	8.3
Fit quality	OK

Comments

Galaxy has a bulge. Not a good fit to the innermost regions.

**UGC 9992**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	0.88
$\xi$ , slope	-0.49
DM factor	0.6
Fit quality	good

Comments

Only 5 data points.

**UGC 10310**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	1.57
$\xi, \text{slope}$	-0.77
DM factor	0.8
Fit quality	OK

Comments

**UGC 11455**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$Y$ , M-to-L	0.41
$\xi$ , slope	-0.76
DM factor	2.3
Fit quality	OK, bumpy

Comments

**UGC 11557**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve


Fit parameters

$Y$ , M-to-L	0.224
$\xi$ , slope	-1.18
DM factor	1.7
Fit quality	poor

Comments

Fit omits innermost 2 data points.

### UGC 11820



Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	1.45
$\xi$ , slope	-1.25
DM factor	3.3
Fit quality	OK

Comments

High M-to-L ratio, 1.45. Galaxy is gas dominated in the outer regions.

**UGC 11914**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Bulge, M-to-L	0.46
Disk, M-to-L	0.20
$\xi$ , slope	-0.77
DM factor	4.1
Fit quality	poor

Comments

**UGC 12506**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	1.45
$\xi$ , slope	-0.48
DM factor	0.9
Fit quality	bumpy

Comments

Fit omits first data point (not shown).

**UGC 12632**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	1.90
$\xi, \text{slope}$	-0.96
DM factor	1.3
Fit quality	OK

Comments

Fit omits 1st data point.

**UGC 12732**

Top left: rotation curve from SPARC data

Top right: cumulative mass





Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

$\Upsilon$ , M-to-L	1.45
$\xi$ , slope	-1.19
DM factor	2.6
Fit quality	good

Comments

**UGCA 442**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function





Bottom right: fitted rotation curve

Fit parameters

$Y, M\text{-to-L}$	2.00
$\xi, \text{slope}$	-1.74
DM factor	4.7
Fit quality	good

Comments

Fit omits outermost 2 data points

**UGCA 444**

Top left: rotation curve from SPARC data

Top right: cumulative mass

Bottom left:  $\xi$ -function

Bottom right: fitted rotation curve

Fit parameters

Y, M-to-L	3.85
$\xi$ , slope	-1.48
DM factor	3.6
Fit quality	OK

Comments

Extremely high M-to-L ratio, 3.85. Rotation curve only covers 2.6kpc, very small.

### 3 References

JoKe22. (2019). "On the variation of the energy scale 22: An analysis of SPARC galaxies"  
[www.varensca.com](http://www.varensca.com)

JoKe23. (2019). "On the variation of the energy scale 23: SPARC galaxy rotation curves".  
[www.varensca.com](http://www.varensca.com)

Lelli, L; McGaugh SS; Schombert JM. (2016). "SPARC: Mass Models for 175 Disk Galaxies with Spitzer Photometry and Accurate Rotation Curves".  
[arXiv.1606.09251](https://arxiv.org/abs/1606.09251)  
**The Astronomical Journal; volume 152; issue 6.**